



HEAVY-DUTY IN-LINE FUEL AND HYDRAULIC FILTERS

REMOVE CONTAMINANTS FROM FUEL AND HYDRAULIC SYSTEMS

In-line filters remove contaminants from fuel and hydraulic systems. The in-line fuel filter is used where direct flow through the filter and a more compact size is required.

Baldwin in-line fuel filters effectively remove contaminants from diesel fuel in a variety of heavy-duty off-highway applications.

In-line hydraulic filters help keep the system free of contaminants that can cause significant damage.



HEAVY-DUTY IN-LINE FUEL FILTERS

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF833 In-Line Fuel Filter in Metal Housing	 Bobcat, Case, Cub Cadet, Gehl, Grove, John Deere, Mitsubishi, New Holland Equipment	Case D59949; Caterpillar 9Y4444; John Deere AM116178, AM116304	O.D.: 1 29/32 (48.4) Inlet: 1/4 Outlet: 1/4 Length: 4 1/16 (103.2)	
BF833-K2 In-Line Fuel Filter in Metal Housing	 Bobcat, Case, Cub Cadet, Gehl, John Deere, Mitsubishi, New Holland Equipment	Case L79756; Caterpillar 3I1489; John Deere AM107871, AM38708; New Holland 269212	O.D.: 1 29/32 (48.4) Inlet: 1/4 Outlet: 1/4 Length: 4 1/16 (103.2)	Contains: [4] Clamps; [2] Hoses
BF840 In-Line Fuel Filter in Metal Housing	 Case, International, John Deere, Massey Ferguson Equipment	Case D139225; John Deere AM876035; Massey Ferguson 800848-M91	O.D.: 1 29/32 (48.4) Inlet: 5/16 Outlet: 5/16 Length: 4 5/32 (105.6)	Related To: BF840-K1 (w/Clamps, Hoses); BF7736 (Plastic Version)
BF840-K1 In-Line Fuel Filter in Metal Housing	 Bobcat, Case, International, John Deere, Kubota, Massey Ferguson Equipment	Case D139225; John Deere AE29052; Kubota 12581-43010, 12581-43012, 13351-43011	O.D.: 1 29/32 (48.4) Inlet: 5/16 Outlet: 5/16 Length: 4 5/32 (105.6)	Contains: [4] Clamps; [2] Hoses Related To: BF840 (Filter Only); BF7736 (Plastic Version)
BF843 In-Line Fuel Filter in Metal Housing	 Bobcat, John Deere Equipment	John Deere T19743, T19743T	O.D.: 2 (50.8) Inlet: 1/8-27 Outlet: 1/2-20 Length: 3 7/16 (87.3)	
BF879 In-Line Screw-in Carburetor Fuel Filter in Metal Housing	 Massey Ferguson, Ottawa Equipment; Onan RV Generators	Massey Ferguson 521248-M91; Onan 149-1353	O.D.: 1 (25.4) Inlet: 3/8 Outlet: 1/8-27 Length: 2 5/8 (66.7)	Contains: [2] Clamps; [1] Hose
BF928 In-Line Fuel Filter in Plastic Housing	 Nissan Lift Trucks	Nissan 16400-C6400	O.D.: 2 3/4 (69.9) Inlet: 11/32 Outlet: 11/32 Length: 3 19/32 (91.3)	
BF932 In-Line Fuel Filter in Nylon Housing	 Nissan, TCM Lift Trucks	Nissan 16400-E3001; TCM 16400-E3000	O.D.: 1 7/8 (47.6) Inlet: 9/32 Outlet: 9/32 Length: 3 17/32 (89.7)	














HEAVY-DUTY IN-LINE FUEL FILTERS (CONT'D)

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF989 In-Line Wire Mesh Fuel Filter in Metal Housing	 Allis-Chalmers, Caterpillar, International, Versatile, Wheel Horse Equipment	Caterpillar 311180, 207-9729; Versatile 20847, 93027	O.D.: 15/16 (23.8) Inlet: 5/16 Outlet: 5/16 Length: 3 1/32 (77.0)	Contains: [4] Clamps; [2] Hoses
BF1047 In-Line Fuel Filter in Metal Housing	 Volvo Trucks	Volvo 3507416-0, 9142658	O.D.: 3 5/16 (84.1) Inlet: 5/16 Outlet: 5/16 Length: 7 17/32 (191.3)	Notes: Reverse Flow
BF1052 In-Line Wire Mesh Fuel Filter in Metal Housing	 Case Excavators, Loaders	Case D145357	O.D.: 1 29/32 (48.4) Inlet: 3/8 Outlet: 3/8 Length: 3 13/16 (96.8)	
BF1173 In-Line Wire Mesh Fuel Filter in Metal Housing	 Freightliner, Peterbilt Trucks; Case, Caterpillar, Hyster, New Holland, Volvo Equipment	Cummins 3826094	O.D.: 1 29/32 (48.4) Inlet: 3/8 Outlet: 3/8 Length: 3 13/16 (96.8)	Notes: Inside-Out Flow Direction
BF7519 In-Line Wire Mesh Fuel Filter in Metal Housing	 Freightliner, Peterbilt Trucks; Case, Caterpillar, Hyster, New Holland, Volvo Equipment	Case A184963; John Deere AR103220	O.D.: 1 29/32 (48.4) Inlet: 5/8-24 Outlet: 5/8-24 Length: 3 17/32 (89.7)	Contains: [2] Rubber Seals; [2] Brass Fittings
BF7690 In-Line Wire Mesh Fuel Filter in Metal Housing	 John Deere Tractors	John Deere RE38818	O.D.: 1 31/32 (50.0) Inlet: 9/16-18 Outlet: 9/16-18 Length: 3 23/32 (94.5)	
BF7691 In-Line Fuel Filter in Metal Housing	 GMC Motor Homes with Portable Fuel Storage Tanks	General Motors 25055347	O.D.: 2 (50.8) Inlet: 1/2 Outlet: 1/2 Length: 4 7/16 (112.7)	
BF7693 In-Line Wire Mesh Fuel Filter in Metal Housing	 Case-International, John Deere, Komatsu, New Holland Equipment	Case 194199A1; John Deere AT223493; Komatsu 20704-A1100; New Holland 84278141, 87400496	O.D.: 1 29/32 (48.4) Inlet: 1/2 Outlet: 1/2 Length: 4 1/4 (108.0)	
BF7725 In-Line Nylon Screen Fuel Filter in Nylon Housing	 Atlas Copco, Bobcat, Caterpillar, John Deere Equipment	Atlas Copco 29148002, 1604579200; Bobcat 6687016, 5411657863; Caterpillar 1G7206; John Deere AL78988	O.D.: 1 13/32 (35.7) Inlet: 5/16 Outlet: 5/16 Length: 4 5/32 (105.6)	
BF7726 In-Line Fuel Filter in Metal Housing	 Allis Chalmers, Case, Continental, Hercules, Massey Ferguson, Oliver, Waukesha Equipment	Allis Chalmers A57228, 2449298, 24492988, 4355944, 43559448; Case A57228; Waukesha 101747C, 107747C, 159863	O.D.: 3 13/16 (96.8) Inlet: 1/4-18 Outlet: 1/4-18 Length: 6 13/32 (162.7)	Contains: [2] Bleeder Plugs; Reverse Flow Valve at Inlet
BF7736 In-Line Fuel Filter in Plastic Housing	 Bomag, Case, New Holland Equipment	Bomag 5727894; New Holland 9611973	O.D.: 2 1/8 (54.0) Inlet: 5/16 Outlet: 5/16 Length: 3 21/32 (92.9)	Related To: BF840, BF840-K1 (Metal Versions)
BF7756 In-Line Fuel Filter in Metal Housing	 Mercedes-Benz Trucks	Mercedes-Benz 6110920201, A6110920201	O.D.: 3 19/32 (91.3) Inlet: 3/8 Outlet: 15/32 Length: 5 (127.0) O-Ring: [1] Attached	Contains: 13/32 Return Line
BF7844 In-Line Fuel Filter in Metal Housing	 Kubota Excavators	Kubota 19099-11151; Woodgate WGF842-3	O.D.: 3 3/8 (85.7) Inlet: 5/16 Outlet: 5/16 Length: 6 21/32 (169.1)	Contains: Drain
BF7845 In-Line Fuel Filter in Plastic Housing	 Hitachi, Terex, Toro Equipment; Mitsubishi Engines	Mitsubishi MM304900; Toro 43-1820; Woodgate WGF9060	O.D.: 1 25/32 (45.2) Inlet: 5/16 Outlet: 11/32 Length: 3 27/32 (97.6)	Contains: [2] Bleed Screws

HEAVY-DUTY IN-LINE FUEL FILTERS (CONT'D)

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF7847 In-Line Fuel Filter in Plastic Housing	Robin Engines	Robin 2436210110, 2436210120; Woodgate WGF9341	O.D.: 2 9/32 (57.9) Inlet: 1/4 Outlet: 1/4 Length: 4 1/32 (102.4)	Contains: Return Line; Bleed Screw
BF7849 In-Line Fuel Filter in Plastic Housing	Lombardini Engines	Lombardini 196.3730.096; Woodgate WGF9229	O.D.: 1 27/32 (46.8) Inlet: 9/32 Outlet: 9/32 Length: 3 3/8 (85.7)	Contains: 9/32 Return Line
BF7850 In-Line Nylon Mesh Fuel Filter in Plastic Housing		Woodgate WGF9301	O.D.: 2 (50.8) Inlet: 5/16 or 3/8 In. Universal Outlet: 5/16 or 3/8 In. Universal Length: 8 1/8 (206.4)	
BF7851 In-Line Wire Mesh Fuel Filter in Plastic Housing		Woodgate WGF9303	O.D.: 1 15/32 (37.3) Inlet: 1/4 or 5/16 In. Universal Outlet: 1/4 or 5/16 In. Universal Length: 4 7/32 (107.2)	
BF7855 In-Line Wire Mesh Fuel Filter in Plastic Housing		Stihl 3503500; Woodgate WGF9310	O.D.: 13/16 (20.6) Inlet: 1/4 Outlet: 1/4 Length: 1 3/4 (44.4)	
BF7863 In-Line Nylon Mesh Fuel Filter in Plastic Housing	Case-International, New Holland Tractors; Hatz Engines	Case 87329736; New Holland 87329736; Woodgate WGF9149	O.D.: 2 1/16 (52.4) Inlet: 1/4 or 5/16 In. Universal Outlet: 1/4 or 5/16 In. Universal Length: 4 3/4 (120.7)	
BF7864 In-Line Wire Mesh Fuel Filter in Plastic Housing	Cub Cadet, Ford, New Holland Lawn & Garden Tractors; Briggs & Stratton Engines	Briggs & Stratton 298090; Woodgate WGF9334	O.D.: 1 5/16 (33.3) Inlet: 5/16 Outlet: 5/16 Length: 1 3/4 (44.4)	
BF7865 In-Line Fuel Filter in Plastic Housing	Case-International Tractors	M.A.N. 81.12503.0045, 81.12503.0056, 81.12503.0057, 81.12503.0058; Woodgate WGF312	O.D.: 1 3/16 (30.2) to 1 3/8 (34.9) Inlet: 5/16 Outlet: 5/16 Length: 4 7/32 (107.2)	
BF7903 In-Line Fuel Filter in Plastic Housing	Cub Cadet, New Holland, Poulan, Toro Lawn & Garden Equipment	Kohler 2505022, 2505022S; Toro 715960	O.D.: 1 13/32 (35.7) Inlet: 1/4 Outlet: 1/4 Length: 4 5/32 (105.6)	
BF7944 In-Line Fuel Filter in Metal Housing	Cushman Equipment	Jacobsen 2701898; Suzuki 15410-72F01	O.D.: 2 3/4 (69.9) Inlet: 3/8 Outlet: 3/8 Length: 4 1/4 (108.0)	Contains: [2] Plastic Caps
BF7965 In-Line Fuel Filter in Metal Housing	J.C. Bamford Equipment	J.C. Bamford 32007057, 32007155, 32007394, 233616	O.D.: 3 3/8 (85.7) Inlet: 5/16 Outlet: 3/8 Length: 7 (177.8)	Contains: Drain

HEAVY-DUTY IN-LINE FUEL FILTERS (CONT'D)

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES	
BF9792 In-Line Fuel Filter in Metal Housing	 ○○	Dodge, Freightliner, Mercedes-Benz Sprinter Vans	Chrysler 5117494AA, 5170896AA, 5170896AB, 5175429AB; Mercedes-Benz A6420920101, A6460920701	O.D.: 3 19/32 (91.3) Inlet: 5/16 Outlet: 3/8 Length: 5 (127.0) O-Ring: [2] Included	Contains: Sensor Port; 5/16 Drainback Valve; Plastic Filter Collar Notes: Sensor must be removed from old filter and reinstalled on BF9792.
BF9807 In-Line Wire Mesh Fuel Filter in Metal Housing		John Deere Tractors	John Deere AL153517	O.D.: 2 1/8 (54.0) Inlet: 3/16 Outlet: 3/16 Length: 4 5/8 (117.5)	
BF9857 In-Line Fuel Filter in Plastic Housing		John Deere Lawn & Garden Tractors, Utility Vehicles	John Deere AM117584, AM118131	O.D.: 3 5/16 (84.1) Inlet: 3/8 Outlet: 3/8 Length: 6 15/16 (176.2)	
BF9863 In-Line Fuel Filter in Plastic Housing		Volvo Excavators	Volvo 7410170	O.D.: 3 7/16 (87.3) Inlet: 1/8 Outlet: 3/16 Length: 3 19/32 (91.3)	
BF9881 In-Line Fuel Filter in Metal Housing		J.C. Bamford Engines, Rollers, Telescopic Handlers	J.C. Bamford 32007138, 32007309	O.D.: 3 3/8 (85.7) Inlet: 3/8 Outlet: 3/8 Length: 7 5/32 (181.8)	Contains: Drain
BF9884 In-Line Nylon Mesh Fuel Filter in Nylon Housing		John Deere Tractors	John Deere AL67975	O.D.: 1 17/32 (38.9) Inlet: 5/16 Outlet: 5/16 Length: 4 9/32 (108.7)	
BF9886 In-Line Steel Mesh Fuel Filter in Metal Housing		John Deere Loaders, Tractors	John Deere RE176732	O.D.: 1 29/32 (48.4) Inlet: 9/16-18 Outlet: 9/16-18 Length: 3 7/8 (98.4)	
BF9905 In-Line Wire Mesh Fuel Filter in Metal Housing		Case, New Holland Loaders	Case 87019604, 87548612; New Holland 87019604, 87548612	O.D.: 1 29/32 (48.4) Inlet: 3/8 Outlet: 3/8 Length: 5 5/8 (142.9)	
BF9906 In-Line Nylon Mesh Fuel Filter in Plastic Housing		Kobelco, Komatsu, New Holland, Yanmar Equipment	Kobelco VV12905255630; Komatsu YM12905255630; New Holland YJ21P01008P2; Yanmar 12905255630	O.D.: 2 9/16 (65.1) Inlet: 11/32 Outlet: 11/32 Length: 3 7/32 (81.8)	
PF9907 In-Line Wire Mesh Fuel Filter in Nylon Housing		International CD, 3600 Buses, I530E Engine	International 1817677C91	O.D.: 2 3/32 (18.3) I.D.: 5/8 (15.9) One End Length: 3 1/8 (79.4) O-Ring: [1] Included	
BF9916 In-Line Wire Mesh Fuel Filter in Metal Housing		John Deere Compact Track Loaders, Skid Steer Loaders	John Deere T257865; Hyster 4617767	O.D.: 1 29/32 (48.4) Inlet: 5/16 Outlet: 5/16 Length: 3 29/32 (99.2)	
BF45000 In-Line Plastic Mesh Fuel Filter in Plastic Housing		Walker MD Series Mower	Walker 7020	O.D.: 2 3/32 (53.2) Inlet: 1/4 Outlet: 1/4 Length: 3 7/16 (87.3)	
BF46000 In-Line Fuel Filter in Metal Housing	 ○○○○	Freightliner, Mercedes-Benz Sprinter Vans	Mercedes-Benz A6420920301	O.D.: 3 5/8 (92.1) Inlet: 1/4 Outlet: 1/4 Length: 4 17/32 (115.1) O-Ring: [4] Included	Contains: [1] Drain Screw

HEAVY-DUTY IN-LINE FUEL FILTERS (CONT'D)

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
BF46005 In-Line Fuel Filter in Metal Housing OBSOLETE	 Caterpillar, Mitsubishi Lift Trucks	Caterpillar 9126406100	O.D.: 1 13/16 (46.0) Inlet: M14 x 1.5 Outlet: M14 x 1.5 Length: 3 7/16 (87.3)	Contains: Mounting Bracket
BF46006 In-Line Wire Mesh Fuel Filter in Metal Housing	 Freightliner Trucks	Ford 4C4Z-9155-AA	O.D.: 1 7/8 (47.6) Inlet: 1/2-14 Outlet: 1/2-14 Length: 4 31/32 (126.2)	
BF46007 In-Line Plastic Mesh Fuel Filter in Metal Housing	 Chevrolet, GMC Trucks with V8-6.5L Engine	General Motors 12339208	O.D.: 1 (25.4) Inlet: 1/4 Outlet: 1/4 Length: 3 (76.2)	
BF46008 In-Line Fuel Filter in Metal Housing OBSOLETE	 Kohler Generators	Kohler 267987	O.D.: 1 7/32 (31.0) Inlet: 1/4-18 NPT Outlet: 1/8-27 NPT Length: 2 15/32 (62.7)	
BF46084 In-Line Wire Mesh Fuel Filter in Metal Housing	 Caterpillar Equipment	Caterpillar 3848512, 5256205; Perkins T412017	O.D.: 2 5/32 (54.8) Inlet: 1/2 Outlet: 3/8 Length: 5 5/8 (142.9)	
BF46229 In-Line Fuel Filter in Metal Housing	 Thermo King Tripac Auxiliary Power Unit	Thermo King 13864	O.D.: 2 (50.8) Inlet: 1/8-27 Outlet: 1/8-27 Length: 3 (76.2)	Contains: Mounting Bracket
BF46242 In-Line Fuel Filter in Metal Housing	 Onan RV Generators	Cummins 149234101; Onan 1492341	O.D.: 1 5/16 (33.5) Inlet: 5/16 Outlet: 1/8 PT Length: 2 23/32 (69.1)	

HEAVY-DUTY IN-LINE HYDRAULIC FILTERS

PART NUMBER	FITS	REPLACES	SPECIFICATIONS	NOTES
PT716 In-Line Hydraulic Filter 	Hyster, Toyota Lift Trucks	Hyster 313796, 1360557; Toyota 67502-20540-71	O.D.: 4 13/16 (122.2) Inlet: 1 Outlet: 1 Length: 7 7/8 (200.0)	Contains: Mounting Bracket Related To: PT8435-MPG (Maximum Performance Glass Version with 25 PSID By-Pass Valve)
BT8412 In-Line Hydraulic Filter 	Toyota Lift Trucks	Toyota 67502-23000-71	O.D.: 4 1/4 (108.0) Inlet: 1-14 Outlet: 1 1/16 Length: 5 11/32 (135.7)	Contains: 15 PSID By-Pass Valve
PT8435-MPG Maximum Performance Glass In-Line Hydraulic Filter 	Hyster Lift Trucks	Hyster 1337159	O.D.: 4 1/32 (102.4) Inlet: 1 Outlet: 1 Length: 7 31/32 (202.4)	Contains: 25 PSID By-Pass Valve; Mounting Bracket Related To: PT716 (Standard Media Version with No By-Pass Valve)
PT8480 Depth-Pack 2-Section In-Line Hydraulic Element 	Hitachi Excavators	Hitachi 4185299	O.D.: 5 1/2 (139.7) Inlet: 7/8 Outlet: 7/8 Length: 11 15/16 (303.2) Grommets: [2] Attached O. Ring: [2] Attached, [1] Included	
PT9468 In-Line Hydraulic Filter 	Bobcat Excavators, Loaders; John Deere Loaders	Bobcat 6661022; John Deere KV13414	O.D.: 1 1/2 (38.1) to 1 23/32 (43.7) Inlet: 9/16-18 UNF Outlet: 9/16-18 UNF Length: 3 3/16 (81.0)	
PT9469 In-Line Hydraulic Filter 	John Deere Loggers, Excavators; Hitachi Zaxis 350L Excavator	John Deere 4452326	O.D.: 7/8 (22.2) Inlet: 5/16 Outlet: 7/32 Length: 1 15/32 (37.3)	
PT9470 In-Line Hydraulic Filter OBSELETE 	John Deere Equipment	John Deere AT183869	O.D.: 1 1/2 (38.1) Inlet: 11/16-16 Outlet: 13/16-16 Length: 2 13/16 (71.4) O-Ring: [1] Attached	

CROSS-REFERENCE — IN-LINE FUEL FILTER

BALDWIN	DONALDSON	FLEETGUARD	FRAM	LUBER-FINER	WIX
BF833	—	FF5480	G6	G115	33030
BF833-K2	P550094	FF5066	G1	G252	33031
BF840	FFP550012	FF5015	G12	G478	33012
BF840-K1	P550012	FF149	G2	G478	33032
BF843	P550457	FF155	G8	G22076	33036
BF879	P550091	FF179	G22	G16	33046
BF928	P552396	FF5179	G4143	G2979	33087
BF932	—	FF5679	G3359	G241	33053
BF989	P550454	FF5676	G3515	G454	33027
BF1047	—	—	G7736	G6548	33596
BF1052	P550433	FF5239	—	L3419F	33253
BF1173	P550974	FF5079	—	L3523F	33270
BF7519	P550446	FF5077	C7518	L3524F	33269
BF7690	P552482	FF5487	—	L3418F	33593
BF7691	P551771	FF5621	—	G8219	33299
BF7693	P551770	FF5289	P10712	L7693F	33248
BF7725	—	FF5705	P6446	G2978	33007
BF7726	P550097	FF117	PB1160PL	FP953F	33191
BF7736	—	—	—	G516CP	33002
BF7756	—	FF5619	—	—	WF8239
BF7844	—	—	—	—	33467
BF7845	—	FF5711	—	LFF7686	—
BF7847	—	—	—	—	—
BF7849	P550902	—	—	—	—
BF7850	—	—	—	—	—
BF7851	—	—	—	—	—
BF7855	—	—	—	—	—
BF7863	—	FF5430	—	—	33972
BF7864	—	—	—	—	—
BF7865	—	—	—	—	—
BF7903	—	—	G1000	—	33011
BF7944	—	—	—	—	—
BF7965	P765325	FF5794	—	—	WF10052
BF7972	P550790	FF5692	PS10265	L3995F	33934
BF9807	—	FF5850	—	—	—
BF9857	—	—	G6507	—	—
BF9863	—	—	—	—	—
BF9881	—	—	—	—	—
BF9884	—	—	—	—	—
BF9886	—	—	—	—	—
BF9905	—	FF5640	—	—	WF10081
BF9906	—	FF42104	—	—	WF10512
PF9907	—	FF257	—	—	WF10170
BF9916	—	—	—	G1	—
BF45000	—	—	—	—	33971
BF46000	—	FF258	—	L4107F	33250
BF46005	—	—	—	—	33726
BF46006	—	FF42119	—	—	33252
BF46007	—	—	—	—	33449
BF46008	—	—	—	—	WF10058
BF46084	—	—	—	—	—
BF46229	P553890	FF5864	—	G6635	—
BF46242	—	—	—	—	WF10437



CROSS-REFERENCE — IN-LINE HYDRAULIC FILTER

BALDWIN	DONALDSON	FLEETGUARD	FRAM	LUBER-FINER	WIX
PT716	P550477	HF7927	C7553	LH5931	57111
BT8412	P550476	HF35276	C7554	—	57725
PT8435-MPG	—	—	—	—	—
PT8480	P550532	HF28879	—	—	—
PT9468	P575188	—	—	—	—
PT9469	—	—	—	—	—
PT9470	—	—	—	—	—



800.822.5394 | baldwinfilters.com

Form 660 (9/22) © 2022 Baldwin Filters, a Parker Hannifin Company
Printed in the U.S.A.

⚠ WARNING: These products can expose you to chemicals, including Diisononyl Phthalate, Carbon black extracts, Nickel, 1,3 Butadiene, Ethylene Oxide, Epichlorohydrin, which are known to the State of California to cause cancer, and Bisphenol-A, Ethylene Glycol, Ethylene Oxide, 1,3 Butadiene, Epichlorohydrin, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.